





<b>Emitters</b>	<input checked="" type="checkbox"/>
<b>Material</b>	<input checked="" type="checkbox"/> Polyethylene
<b>Color</b>	<input checked="" type="checkbox"/>
<b>Dimensions</b>	2.5" H x 1.3" W x 4.5" L (64mm H x 33mm W x 115mm L)
<b>Weight</b>	5.2 oz (145g)
<b>Pressure</b>	50 psi
<b>Voltage</b>	24VDC
<b>Current</b>	4 mA DC power IN
<b>Response Time</b>	5µA
<b>Output</b>	DC
<b>Logic</b>	NPN ; TTL compatible
<b>Temperature Range</b>	32° F (0° C) to 122° F (50° C)

Description	Part #
Ioncell	4015281
Air Ring 6"	5051680
Air Ring 10"	5051681
Air Knife 6"	5051678
Air Knife 12"	5051679
Airflow switch	5051685

- Ioncell
- Air Ring 6"
- Air Ring 10"
- Air Knife 6"
- Air Knife 12"
- Airflow switch



Performance comparison table for different air flow rates and pressures.

Emitter	30 PSI	15 PSI	5 PSI
6"	0.5 sec	0.8	1.4
12"	0.8 sec	1.4	2.2
18"	1.0 sec	2.1	3.5
24"	1.8 sec	3.2	5.2
36"	6.0 sec	6.8	10
48"	9.5 sec	13	22